

98260087

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802. WITHIN CALIFORNIA, CALL 1-800-852-7550

GENERATOR

FACILITY

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address BOEING CORP. 4060 LAKEWOOD BLVD 6TH FLOOR LONG BEACH, CA. 90808		A. State Manifest Document Number 98260087			
4. Generator's Phone (562) 627-3014		B. State Generator's ID HAINQ36005698			
5. Transporter 1 Company Name ASBURY ENVIRONMENTAL SERVICES		C. State Transporter's ID 275			
6. US EPA ID Number CAD028277036		D. Transporter's Phone (310) 886-3400			
7. Transporter 2 Company Name		E. State Transporter's ID			
8. US EPA ID Number		F. Transporter's Phone			
9. Designated Facility Name and Site Address DEMENNO KERDOON 2000 NORTH ALAMEDA STREET, COMPTON, CA 90222		G. State Facility's ID CAT080013352			
10. US EPA ID Number CAT080013352		H. Facility's Phone (310) 537-7100			
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers No. Type	13. Total Quantity	14. Unit Wt/Vol	15. Waste Number State EPA/Other
a. NON-RCRA HAZARDOUS WASTE, LIQUID (WATER, OIL) No Placard required		001 TT	00200	G	135 NONE
b. THIS WASTE STREAM HAS BEEN QUALIFIED FOR RECYCLING/TREATMENT AT THE DeMENNO/KERDOON FACILITY IN COMPTON, CALIFORNIA. THIS FACILITY HAS THE NECESSARY PERMITS TO RECEIVE YOUR WASTE STREAM AS QUALIFIED. OUR EPA NUMBER IS CAT080013352.					
c. THIS WASTE STREAM HAS BEEN QUALIFIED FOR RECYCLING/TREATMENT AT THE DeMENNO/KERDOON FACILITY IN COMPTON, CALIFORNIA. THIS FACILITY HAS THE NECESSARY PERMITS TO RECEIVE YOUR WASTE STREAM AS QUALIFIED. OUR EPA NUMBER IS CAT080013352.					
d. THIS WASTE STREAM HAS BEEN QUALIFIED FOR RECYCLING/TREATMENT AT THE DeMENNO/KERDOON FACILITY IN COMPTON, CALIFORNIA. THIS FACILITY HAS THE NECESSARY PERMITS TO RECEIVE YOUR WASTE STREAM AS QUALIFIED. OUR EPA NUMBER IS CAT080013352.					
J. Additional Descriptions for Materials Listed Above WATER OIL HABRG #171		K. Handling Codes for Wastes Listed Above a. 01 b. c. d.			
15. Special Handling Instructions and Additional Information GLOVES & GOGGLES		EMERGENCY CONTACT: MEL HARPER (310) 387-3400			
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this Consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name GREG YI		Signature <i>Greg Yi</i>		Month 06	Day 06
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name PAUL PERKINS		Signature <i>Paul Perkins</i>		Month 06	Day 06
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Month	Day
19. Discrepancy Indication Quantity discrepancy greater than 10% variation reconciled with generator/transporter on 6/15/98 with 49 gallons of Asbury Received					
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name MOORE		Signature <i>MOORE</i>		Month 06	Day 06

DO NOT WRITE BELOW THIS LINE.

Yellow: TSDF SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS.
(Generators who submit hazardous waste for transport out-of-state, produce completed copy of this copy and send to DTSC within 30 days.)